



#### **ATTENTION:**

I. SITE PLANS: SITE PLANS SHALL BE PREPARED AND SUBMITTED BY THE OWNER CONTRACTOR AS REQ'D BY THE LOCAL JURISDICTION. ITEMS REQUIRED AND SHOWN MAY INCLUDE BUT ARE NOT LIMITED TO; IDENTIFICATION AND LOCATION OF ALL BUILDINGS, EXISTING AND PROPOSED, LABEL ALL EXISTING AND PROPOSED STREETS, EASEMENTS, FLOOD PLAINS AND ADJACENT PROPERTY LINES (FRONT, REAR, \$ SIDES,). 2. FIRE RESISTIVE CONSTRUCTION: FIRE RESISTIVE CONSTRUCTION AND/OR FIRE SPRINKLER SYSTEMS NOT ADDRESSED ON THESE PLANS AND REQUIRED BY THE LOCAL JURISDICTION AND ADOPTED CODES ARE THE RESPONSIBILITY OF THE OWNER/CONTRACTOR.

3. LATERAL DESIGN: BECAUSE OF THE RANDOM AND UNPREDICTABLE NATURE OF WIND AND EARTHQUAKE LOADING EVEN A RELATIVELY COMPLETE ANALYSIS, METHODOLOGY, AND DESIGN CANNOT ENSURE THAT THERE WILL BE NO DAMAGE TO STRUCTURES DURING MAJOR EVENTS. local ADOPTED CODES ARE BASED ON LIFE SAFETY AND NOT "DAMAGE PROOFING". IT IS EXTREMELY IMPORTANT THAT ATTENTION BE PAID TO THE PLACEMENT OF REINFORCING, HOLDOWN EMBEDS, ETC. IN THE FOUNDATIONS, NAILING OF VERTICAL AND HORIZONTAL SHEATHING (WALLS, FLOORS, AND ROOF) AND TO DETAILING SHOWN ON THE PLANS. PROPER IMPLEMENTATION IS REQUIRED TO ENSURE THE DESIRED DESIGN

4. MODIFICATIONS: STRUCTURAL MODIFICATIONS TO PLANS, FRAMING AND LOADING (DIMENSIONS, MATERIALS, DETAILS, LOCATION AND/ OR SIZE OF OPENINGS IN WALLS, HOT TUB LOADING, ETC.) FROM THAT SHOWN ON THE WCLH PLANS CAN ALTER THE STRUCTURAL PERFORMANCE AND WILL VOID ANY LIABILITY BY WCLH OR A/EOR, WITHOUT ADDITIONAL REVIEW AND ANALYSIS AND PRIOR WRITTEN APPROVAL. NEW AND RELOCATED LOADS CAN CAUSE EXCESSIVE DEFLECTION AND EVEN STRUCTURAL FAILURE. INCREASING THE SIZE, NUMBER OR LOCATION OF OPENINGS IN SHEAR WALLS CAN VARY THE LOADING ON SHEAR PANELS BEYOND THEIR LOAD CARRYING CAPACITIES. the OWNER AND CONTRACTOR SHALL CAREFULLY REVIEW PLANS AND SPECIFICATIONS PRIOR TO INITIATION OF CONSTRUCTION.

5. SOILS INVESTIGATION: WHERE REQUIRED BY THE LOCAL SITE CONDITIONS OR JURISDICTION A GEOTECHNICAL INVESTIGATION (SOILS REPORT) SHALL BE PREPARED BY A QUALIFIED PROFESSIONAL AND SUBMITTED TO THE A/EOR BY THE OWNER/CONTRACTOR FOR REVIEW AND INCORPORATED INTO THE DESIGN. WHEN EXPANSIVE OR COLLAPSE SENSITIVE SOILS ARE PRESENT SPECIAL PROVISIONS MAY BE REQUIRED IN THE FOUNDATION DESIGN. ADDITIONAL FEES WILL BE WARRANTED.

### **DESIGN CRITERIA**

#### **GOVERNING CODES**

2012 INTERNATIONAL BUILDING CODE (IBC) ASCE/SEI 7-10 MIN DESIGN LOADS FOR BUILDING AND OTHER STRUCTURES

#### **LOADINGS**

FLOOR	DEAD LOAD LIVE LOAD		12 PS 40 PS
ROOF	DEAD LOAD Live (Snow) load		15 PS
	GROUND LOAD		100 PS
	FLAT ROOF EXPOSURE FACTOR		90 PSI Ce=1.0
	THERMAL FACTOR	WARM	Ct=1.1
		COLD	Ct=1.1
	IMPORTANCE FACTOR		1. l =el

#### **WIND DESIGN**

ULTIMATE SPEED	90MPH
IMPORTANCE FACTOR	Iw=I.O
EXPOSURE	С

#### **SEISMIC**

SEISMIC DESIGN CATEGORY

# **FROST DEPTH**

36"

|s = 1.0|

WCLH DESIGN

CRITERIA

# <u>SOIL</u>

GEOTECHNICAL STUDY	NOT AVAILABLE FOR DESIGN
ALLOWABLE BEARING	1,500 PSF
SITE CLASS	D

CHANGES BY THE E.O.R. SHALL BE COORDINATED WITH WCLH. ALL CHANGES MUST BE APPROVED IN WRITING BY WCLH. IF APPROVED, ALI CHANGES WILL RESULT IN ADDITIONAL

> **PRELIMINARY PLAN SET**

THESE PLANS, DRAWINGS, AND

DESIGNS ARE THE PROPERTY OF

WHISPER CREEK LOG HOMES (WCLH).

ALL RIGHTS RESERVED AND SHALL NOT BE REPRODUCED OR COPIED WITHOUT

THE EXPRESSED WRITTEN CONSENT

FROM AN OFFICER OF WCLH. UNDER PENALTY OF PROSECUTION, THESE

PLANS ARE RELEASED FOR

CONSTRUCTION ON THE SITE

DESCRIBED HEREON AND NO OTHER.

BASED ON MANY YEARS OF

CONSTRUCTION, DESIGN, AND

ENGINEERING PRACTICE IN NUMEROUS

DIVERSE JURISDICTIONS. THE PURPOS IS TO PROVIDE A BASIS FOR THE

DESIGNS INCORPORATED IN WHISPER

CREEK LOG HOMES (WCLH). HOWEVEF

IT IS THE RESPONSIBILITY OF THE OWNER TO CONSULT WITH ARCHITECT

OR ENGINEER OF RECORD (E.O.R.) TO

REVIEW AND VERIFY ANY AND ALL OF THE ASSUMPTIONS MADE AND DESIGNS

PRESENTED. WCLH MAKES NO

FINAL SITE SPECIFIC APPLICABILITY OF THE DESIGN. ANY AND ALL PROPOSED

COSTS AND MAY REQUIRE MODIFICATIONS TO THE PLANS AND

WALLS.

1	REVISIONS:			
	No.	Ву:	Date:	

**HOMESTEAD LOFTED CUSTOM** 

**COVER SHEET** 

**MANAGER** 11/16/2016 10:30:08 AM

AREA SCHEDULE		
NAME	AREA	
LIVING		
MAIN FLOOR	928 SF	
LOFT	288 SF	
BASEMENT	541 SF	
	1757 SF	
NON-LIVING		
GARAGE	387 SF	
387 SF		

2144 SF

TOTAL

SHEET LIST - PRELIMINARY PLANS				
SHEET#	SHEET NAME			
COVER				
AO.O COVER SHEET				
ARCHITECTURAL				
A1.0	MAIN FLOOR PLAN			
A1.1	BASEMENT & LOFT PLAN			
A2.0	ELEVATIONS			
A2.I	ELEVATIONS			
A3.0	SCHEDULES			
A4.0	COMPONENT ISOMETRIC			

NOTE: WHISPER CREEK LOG HOMES (WCLH) ARE CONSTRUCTED USING NATURAL WOOD PRODUCTS SUBJECT TO DECAY, MAINTENANCE METHODS AND PROCEDURES SET FORTH BY WCLH DOES NOT WARRANTY COMPONENTS INSTALLED LESS THAN 24 INCHES FROM THE GROUND. ANY MATERIAL OR COMPONENTS NOT SPECIFICALLY LISTED IN CONTRACT WITH WCLH ARE TO BE PROVIDED BY THE OWNER

CONTRACTOR.

TRUSS CALCS BY TRUSS MANUFACTURER

DEFERRED SUBMITTAL ITEMS BY CONTRACTOR

I. CONTRACTOR WILL VERIFY ALL DIMENSIONS & CONDITIONS SHOWN ON THESE PLANS AND W/ BUILDING SITE PRIOR TO COMMENCING ANY WORK ON PROJECT.

2. ALL EXTERIOR WALLS ARE DIMENSIONED TO THE FACE OF SHEATHING OR FOUNDATION. ALL INTERIOR WALLS ARE DIMENSIONED TO THE FACE OF STUDS.

3. THERE SHALL BE A FLOOR OR LANDING ON EACH SIDE OF EXTERIOR DOORS. WIDTH NOT LESS THAN THE DOOR SERVED. MIN DIMENSION 36 INCH MEASURED IN THE DIRECTION OF TRAVEL.

### **ABBREVIATIONS**

O/C INDICATES BUILDING COMPONENT PROVIDED BY

OWNER/CONTRACTOR

WC INDICATES BUILDING COMPONENT PROVIDED BY

WHISPER CREEK LOG HOMES


VEOR INDICATES ARCHITECT/ENGINEER OF RECORD

## HANDRAIL NOTES:

I. RESIDENTIAL STAIRS REQUIRE HANDRAILS ON A MINIMUM OF ONE SIDE.

2. HANDRAIL SHALL BE CONTINUOUS THE FULL LENGTH OF THE STAIRS WITH ENDS RETURNED TO NEWEL POST OR WALL.


3. THE HANDGRIP PORTION OF THE HANDRAILS SHALL NOT BE LESS THAN I 1/4" INCHES NOR MORE THAN 2 INCHES IN CROSS-SECTIONAL DIMENSION OR THE SHAPE SHALL PROVIDE AN EQUIVALENT GRIPPING SURFACE. THE HANDGRIP PORTION OF THE HANDRAILS SHALL HAVE A SMOOTH SURFACE WITH NO SHARP CORNERS. HANDRAILS PROJECTION FROM A WALL SHALL HAVE A SPACE OF NOT LESS THAN I 1/2 INCHES BETWEEN THE HANDRAIL AND ANY ABUTTING CONSTRUCTION SO AS TO AVOID INJURY TO FINGERS.



## **GUARDRAIL NOTES:**

I. 36" (MIN) HIGH GUARDRAILS ARE REQUIRED FOR UNENCLOSED FLOOR AND ROOF OPENINGS, OPEN AND GLAZED SIDES OF STAIRWAYS, LANDINGS, DECKS, RAMPS, AND PORCHES, WHICH ARE MORE THAN 30 INCHES ABOVE GRADE OR A FLOOR OR OTHER SURFACE BELOW.

2. OPEN GUARDRAILS SHALL HAVE INTERMEDIATE RAIL SPACING OR PATTERN SUCH THAT A 4-INCH SPHERE CANNOT PASS THROUGH AND THE TRIANGULAR AREA FORMED BY TREAD, RISER AND GUARDRAIL SO THAT G-INCH SPHERE CANNOT PASS THROUGH




## STAIRWAY NOTES:

I. STAIRWAYS SHALL NOT BE LESS THAN 36 INCHES IN WIDTH.

2. THE RISE OF STEPS SHALL NOT BE LESS THAN 4 INCHES OR GREATER THAN 7-3/4 INCHES. THE GREATEST RISER HEIGHT WITHIN ANY FLIGHT OF STAIRS SHALL NOT EXCEED THE SMALLEST BY MORE THAN 3/8 INCH.

3. THE RUN SHALL NOT BE LESS THAN II INCHES AS MEASURED HORIZONTALLY BETWEEN THE VERTICAL PLANES OF THE FURTHER MOST PROJECTION OF ADJACENT TREADS. THE LARGEST TREAD RUN WITHIN ANY FLIGHT OF STAIRS SHALL NOT EXCEED THE SMALLEST BY 3/8 INCH.

4. WINDER TREADS SHALL HAVE A MINIMUM OF TREAD DEPTH OF IO' MEASURED AT A POINT I 2" FROM THE NARROW SIDE OF THE TREAD, AND HAVE A MINIMUM DEPTH OF 6". WITHIN ANY FLIGHT OF STAIRS THE GREATEST WINDER TREAD DEPTH AT THE I 2" WALK LINE SHALL NOT EXCEED THE SMALLEST BY MORE THAN 3/8".



MAIN FLOOR

1/4" = 1'-0"

MAIN FLOOR PLAN

FET NO:

THESE PLANS, DRAWINGS, AND DESIGNS ARE THE PROPERTY OF WHISPER CREEK LOG HOMES (WCLH).
ALL RIGHTS RESERVED AND SHALL NOT BE REPRODUCED OR COPIED WITHOUT THE EXPRESSED WRITTEN CONSENT FROM AN OFFICER OF WCLH. UNDER PENALTY OF PROSECUTION, THESE PLANS ARE RELEASED FOR CONSTRUCTION ON THE SITE DESCRIBED HEREON AND NO OTHER.

BASED ON MANY YEARS OF CONSTRUCTION, DESIGN, AND **ENGINEERING PRACTICE IN NUMEROUS** DIVERSE JURISDICTIONS. THE PURPOS IS TO PROVIDE A BASIS FOR THE DESIGNS INCORPORATED IN WHISPER CREEK LOG HOMES (WCLH). HOWEVER IT IS THE RESPONSIBILITY OF THE OWNER TO CONSULT WITH ARCHITECT OR ENGINEER OF RECORD (E.O.R.) TO REVIEW AND VERIFY ANY AND ALL OF THE ASSUMPTIONS MADE AND DESIGNS PRESENTED. WCLH MAKES NO WARRANTY OR GUARANTEE AS TO TH FINAL SITE SPECIFIC APPLICABILITY OF THE DESIGN. ANY AND ALL PROPOSED CHANGES BY THE E.O.R. SHALL BE

THESE DESIGNS AND DETAILS ARE

COORDINATED WITH WCLH. ALL CHANGES MUST BE APPROVED IN WRITING BY WCLH. IF APPROVED, ALL CHANGES WILL RESULT IN ADDITIONAL COSTS AND MAY REQUIRE MODIFICATIONS TO THE PLANS AND WALLS.

PRELIMINARY PLAN SET

- 1	REVISI	ONS:		
	No.	Ву:	Date:	

PROJECT NAME:
HOMESTEAD LOFTED
CUSTOM

OWNER:

ADDRESS:

ID

MAIN FLOOR PLAN

DRAWN BY:

JCF

CHECKED BY:

MANAGER

DATE:

TDB

11/16/2016 10:30:09 AM
SHEET NO.:

A10

I. CONTRACTOR SHALL VERIFY ALL DIMENSIONS & CONDITIONS SHOWN ON THESE PLANS AND W/ BUILDING SITE PRIOR TO COMMENCING ANY WORK ON PROJECT.

2. ALL EXTERIOR WALLS ARE DIMENSIONED TO THE FACE OF SHEATHING OR FOUNDATION. ALL INTERIOR WALLS ARE DIMENSIONED TO THE FACE OF STUDS.

3. PROVIDE WINDOW WELLS AS REQUIRED BY FINISH GRADE. (CONTRACTOR TO VERIFY). SEE WINDOW WELL DETAIL. 4. BASEMENTS ENCLOSING CONDITIONED SPACE SHALL BE INSULATED.


5. UNFINISHED AND FINISHED SPACES SHALL BE SEPARATED BY A DOOR.


#### **ABBREVIATIONS**

INDICATES BUILDING COMPONENT PROVIDED BY

OWNER/CONTRACTOR

INDICATES BUILDING COMPONENT PROVIDED BY





LOFT 1/4" = 1'-0"

# FLOOR PLAN NOTES

I. CONTRACTOR WILL VERIFY ALL DIMENSIONS & CONDITIONS SHOWN ON THESE PLANS AND W/ BUILDING SITE PRIOR TO COMMENCING ANY

WORK ON PROJECT. 2. ALL EXTERIOR WALLS ARE DIMENSIONED TO THE FACE OF SHEATHING OR FOUNDATION. ALL INTERIOR WALLS ARE DIMENSIONED TO THE FACE OF STUDS.

3. THERE SHALL BE A FLOOR OR LANDING ON EACH SIDE OF EXTERIOR DOORS. WIDTH NOT LESS THAN THE DOOR SERVED. MIN DIMENSION 36 INCH MEASURED IN THE DIRECTION OF TRAVEL.

## **ABBREVIATIONS**

INDICATES BUILDING COMPONENT PROVIDED BY

OWNER/CONTRACTOR

INDICATES BUILDING COMPONENT PROVIDED BY

WHISPER CREEK LOG HOMES INDICATES ARCHITECT/ENGINEER OF RECORD

THESE PLANS, DRAWINGS, AND DESIGNS ARE THE PROPERTY OF WHISPER CREEK LOG HOMES (WCLH). ALL RIGHTS RESERVED AND SHALL NOT BE REPRODUCED OR COPIED WITHOUT THE EXPRESSED WRITTEN CONSENT FROM AN OFFICER OF WCLH. UNDER PENALTY OF PROSECUTION, THESE PLANS ARE RELEASED FOR CONSTRUCTION ON THE SITE DESCRIBED HEREON AND NO OTHER.

THESE DESIGNS AND DETAILS ARE BASED ON MANY YEARS OF CONSTRUCTION, DESIGN, AND **ENGINEERING PRACTICE IN NUMEROUS** DIVERSE JURISDICTIONS. THE PURPOS IS TO PROVIDE A BASIS FOR THE DESIGNS INCORPORATED IN WHISPER CREEK LOG HOMES (WCLH). HOWEVER IT IS THE RESPONSIBILITY OF THE OWNER TO CONSULT WITH ARCHITECT OR ENGINEER OF RECORD (E.O.R.) TO REVIEW AND VERIFY ANY AND ALL OF THE ASSUMPTIONS MADE AND DESIGNS PRESENTED. WCLH MAKES NO WARRANTY OR GUARANTEE AS TO THI FINAL SITE SPECIFIC APPLICABILITY OF THE DESIGN. ANY AND ALL PROPOSED CHANGES BY THE E.O.R. SHALL BE COORDINATED WITH WCLH. ALL

CHANGES MUST BE APPROVED IN WRITING BY WCLH. IF APPROVED, ALL

CHANGES WILL RESULT IN ADDITIONAL

COSTS AND MAY REQUIRE


MODIFICATIONS TO THE PLANS AND WALLS.

**PRELIMINARY PLAN SET** 

REVISIONS:			
No.	Ву:	Date:	
l			

HOMESTEAD LOFTED **CUSTOM** 

BASEMENT & LOFT **PLAN** 



## **ELEVATION NOTES**

I. CONTRACTOR WILL VERIFY ANY AND ALL STEPS IN FOOTINGS \$ FOUNDATION AS REQUIRED BY EXISTING FINISH GRADES. 2. MODIFICATIONS TO THE STRUCTURE MUST BE APPROVED BY THE A/EOR IN WRITING PRIOR TO MAKING ANY CHANGES. GRADES INDICATED ARE APPROXIMATE AND MAY BE MODIFIED SUBJECT TO FINAL SITE CONDITIONS. DRAINAGE AWAY FROM THE STRUCTURE

MUST BE MAINTAINED. 3. LOTS SHALL BE GRADED TO DRAW SURFACE WATER AWAY FROM FOUNDATION WALLS. THE GRADE SHALL FALL A MINIMUM OF 6 INCHES WITHIN THE FIRST 10 FEET.

4. CONTRACTOR TO INSTALL SNOW STOPS ON ROOF.

## **ABBREVIATIONS**

D/C INDICATES BUILDING COMPONENT PROVIDED

BY OWNER/CONTRACTOR

BY WHISPER CREEK LOG HOMES

WC INDICATES BUILDING COMPONENT PROVIDED

VEOR INDICATES ARCHITECT/ENGINEER OF RECORD

 $(\mathsf{C})$ A \_\_\_\_ \_ GABLE CAP PC | 117' - 8 5/16" LOFT - 1 1/8" T.O.WALL 8' MAIN FLOOR T.O. FND 98' - 9 7/8" 90' - I 7/8" T.O. FTG 89' - 9 7/8" FRONT ELEVATION 1/4" = 1'-0"



2



1883 Highway 93 South Hamilton, MT 59840 ph. 406.363.5680 fx. 406.363.6537 wclhdesign@rmlh.com

THESE PLANS, DRAWINGS, AND DESIGNS ARE THE PROPERTY OF WHISPER CREEK LOG HOMES (WCLH). ALL RIGHTS RESERVED AND SHALL NOT BE REPRODUCED OR COPIED WITHOUT THE EXPRESSED WRITTEN CONSENT FROM AN OFFICER OF WCLH. UNDER PENALTY OF PROSECUTION, THESE PLANS ARE RELEASED FOR CONSTRUCTION ON THE SITE

DESCRIBED HEREON AND NO OTHER.

THESE DESIGNS AND DETAILS ARE BASED ON MANY YEARS OF CONSTRUCTION, DESIGN, AND **ENGINEERING PRACTICE IN NUMEROUS** DIVERSE JURISDICTIONS. THE PURPOSI IS TO PROVIDE A BASIS FOR THE DESIGNS INCORPORATED IN WHISPER CREEK LOG HOMES (WCLH). HOWEVER IT IS THE RESPONSIBILITY OF THE OWNER TO CONSULT WITH ARCHITECT OR ENGINEER OF RECORD (E.O.R.) TO REVIEW AND VERIFY ANY AND ALL OF THE ASSUMPTIONS MADE AND DESIGNS PRESENTED. WCLH MAKES NO WARRANTY OR GUARANTEE AS TO THI FINAL SITE SPECIFIC APPLICABILITY OF THE DESIGN. ANY AND ALL PROPOSED CHANGES BY THE E.O.R. SHALL BE COORDINATED WITH WCLH. ALL CHANGES MUST BE APPROVED IN

WRITING BY WCLH. IF APPROVED, ALL CHANGES WILL RESULT IN ADDITIONAL COSTS AND MAY REQUIRE MODIFICATIONS TO THE PLANS AND

WALLS.

**PRELIMINARY PLAN SET** 

-	REVISI	ONS:		
	No.	Ву:	Date:	

PROJECT NAME:
HOMESTEAD LOFTED CUSTOM





DRAWING TITLE: **ELEVATIONS** 

